The American Society for Aesthetic Plastic Surgery

Aesthetic Surgery Journal

November/December 2000
Volume 20, Number 6

Editor In Chief
Stanley A. Klatsky, MD

Editorial Advisor
Robert W. Bernard, MD

Senior Scientific Editors
James H. Carraway, MD
Alan Matarasso, MD

International Editor
Antonio Fuente del Campo, MD

CME Editor
Charles E. Hughes III, MD

Associate Editors
Bruce L. Cunningham, MD
Alan H. Gold, MD
Mark L. Jewell, MD
Brian M. Kinney, MD
Foad Nahai, MD
Gerald H. Pitman, MD
Renato Saltz, MD

Technical Editor
Samuel J. Beran, MD

Executive Editor
Elizabeth Sadati

Managing Editor
Carl Giacoma

Editor, Scientific Forum
Paul Bernstein

Manuscript Editor
John Galati

Production Coordinator
Donna Stiller

Plastic surgery residents in the USA and Canada receive a complimentary subscription to *Aesthetic Surgery Journal* through an unrestricted educational grant from ✦ MENTOR questions about eligibility for a subscription, contact Mosby Subscription Services at 800/654-2452.

VOLUME 20 INDEXES

Copyright © 2000 by
The American Society for Aesthetic Plastic Surgery, Inc.

All rights reserved
Printed in the United States of America

Author Index*

A

Adham MN (*see* Teimourian and Adham). 2000;20:70-1.
Aicher RH. Florida's attempts to regulate office surgery: economics, politics, and patient safety. 2000;20:170-1 (Legalert).
Aicher RH. Internet liability. 2000;20:433 (Legalert).
Aicher RH. Lawyers successfully sued by doctors for filing frivolous lawsuits. 2000;20:337-8 (Legalert).
Aicher RH. Managed care incursions: the evolution of discounted cosmetic surgery programs. 2000;20:75-6 (Legalert).
Aicher RH. Plaintiff versus doctor: who wins? 2000;20:256-7 (Legalert).
Aicher RH. Serious implications for BDD court case. 2000;20:521 (Legalert).
Alster TS (*see* Gregory et al). 2000;20:231-7 (Panel discussion).
Ashinoff R (*see* Mafong and Ashinoff). 2000;20:114-21.
Auersvald A (*see* Graf et al). 2000;20:99-106.

B

Baker JL. A new and better face lift incision. 2000;20:428-30.
Baker TM. Phenol-based peels. 2000;20:37-8 (Letter reply).
Becker H. Adjustable breast implants provide postoperative versatility. 2000;20:332-4.
Beckham P (*see* Karnes et al). 2000;20:26-30.
Beckham PH (*see* Ersek et al). 2000;20:381-6.
Beran SJ, Bernard RW. Microdermabrasion. 2000;20:238-9.
Beran SJ (*see* Bernard and Beran). 2000;20:205-7.
Bernard RW, Beran SJ. The sternomastoid-mandibular trough: an overlooked aesthetic unit. 2000;20:205-7.
Bernard RW (*see* Beran and Bernard). 2000;20:238-9.
Bernardes A (*see* Graf et al). 2000;20:99-106.
Biggs TM, Steely RL. The male neck and T-Z-plasty: 28 years later. 2000;20:31-4.
Biggs TM (*see* Graf et al). 2000;20:99-106.
Binstock WB. Recognition and treatment of malignant hyperthermia. 2000;20:173-5.
Brandon HJ, Jerina KL, Wolf CJ, Young VL. Ultimate strength properties of explanted and control Silastic II silicone gel-filled breast implant shells. 2000;20:122-32.
Branson DF. Beyond resurfacing: CO_2 lasers for autodermal grafts. 2000;20:315-16.
Brauman D. Lipoplasty: a case for a low-volume procedure. 2000;20:373-80.
Brody GS. Tumescent dissection for capsulotomy and capsulectomy. 2000;20:225 (Letter).
Bucky LP. Microwave-assisted lipoplasty: a new treatment for body contouring. 2000;20:439-40.
Burkhardt BR. Advantages of W-plasty in the anterior neck. 2000;20:152-3.

C

Carraway JH. Don't despair—prepare. 2000;20:488-9 (Editorial).
Casagrande C, Saltz R, Chem R, Pinto R, Collares M. Direct needle fixation in endoscopic facial rejuvenation. 2000;20:361-7.
Chem R (*see* Casagrande et al). 2000;20:361-7.
Chiaramonte MF (*see* Teimourian et al). 2000;20:70-1.
Clifton MS (*see* Davison et al). 2000;20:477-81.
Collares M (*see* Casagrande et al). 2000;20:361-7.
Collini FJ. 0.5% polidocanol for treatment of varicose veins. 2000;20:19-25.
Connell BF, Hosn W. Importance of the digastric muscle in cervical contouring: an update. 2000;20:12-16.

D

Daane SP. Meta-analysis: a precise definition. 2000;20:41-2 (Letter reply).
Dabb RW, Wrye SW. Using computer imaging as an informed consent tool. 2000;20:53-5.
Davison SP, Clifton MS, Futrell W, Priore R, Manders EK. Aesthetic considerations in secondary procedures for gender reassignment. 2000;20:477-81.
de Sousa A, Saltz R. The common principles of effective breast reduction techniques. 2000;20:213-17.
DiBernardo BE. Current techniques make hair transplantation rewarding to any aesthetic surgical practice. 2000;20:167-9.
DiGregorio VR (*see* Salibian and DiGregorio). 2000;20:301-3 (Case report).
Dowden RV. Technical update on transumbilical breast augmentation. 2000;20:240-2.
Duffy MJ. Breast reduction and inframammary distance. 2000;20:305-6 (Letter).

E

Eppley BL. Revascularization of acellular human dermis (Alloderm) in subcutaneous implantation. 2000;20:291-5.
Ersek RA. Bioplastique and soft-tissue augmentation. 2000;20:135-7 (Letter).
Ersek RA, Schaeferle M III, Beckham PH, Salisbury MA. Gynecomastia: a clinical review. 2000;20:381-6.
Ersek RA (*see* Karnes et al). 2000;20:26-30.

F

Feldman JJ (*see* Fuente del Campo et al). 2000;20:495-501 (Panel discussion).
Fintsi Y, Landau M, Shelkowitch-Shiloh I. Phenol-based peels. 2000;20:37-8 (Letter).
Fodor PB. Lidocaine toxicity issues in lipoplasty. 2000;20:56-8.
Friedberg BL. Counterpoint: postoperative nausea and vomiting. 2000;20:490-1 (Letter).
Fuente del Campo A, Feldman JJ, Guyuron B, Hoefflin SM. Treatment of the difficult neck. 2000;20:495-501 (Panel discussion).
Fuente del Campo A (*see* Nahai et al). 2000;20:47-52 (Panel discussion).
Futrell W (*see* Davison et al). 2000;20:477-81.

G

Galdino GM, Klatsky SA, Manson PN, Vander Kolk CA. The digital darkroom, part 1: digital technology in plastic surgery. 2000;20:387-94.

*January/February, 1-84; March/April, 85-184; May/June, 185-264; July/August, 265-348; September/October, 349-444; November/December, 445-540.

Galdino GM, Manson PN, Vander Kolk CA. The digital darkroom, part 2: digital photography basics. 2000;20:482-7.
Giampapa VC. Suture suspension technique offers predictable, long-lasting neck rejuvenation. 2000;20:253-5.
Giese SY (*see* Spear and Giese). 2000;20:155-65.
Glassman K. Special considerations for the pediatric patient in the office-based ambulatory surgery setting. 2000;20:523-4.
Gold AH. Cost effectiveness of an office-based ambulatory surgery facility. 2000;20:435-6.
Gorney M. Liability issues in aesthetic surgery. 2000;20:226-7 (Letter).
Graf RM, Auersvald A, Bernardes A, Biggs TM. Reduction mammaplasty and mastopexy with shorter scar and better shape. 2000;20:99-106.
Graf RM. Breast reduction and inframammary distance. 2000;20:305-6 (Letter reply).
Gregory RO, Alster TS, Mayl N, Seckel BR. Complications in laser resurfacing. 2000;20:231-7 (Panel discussion).
Grover S (*see* Hester and Grover). 2000;20:61-8.
Gryskiewicz JM. Recycling the distal dorsum as a sheen graft. 2000;20:457-64.
Guyuron B (*see* Fuente del Campo et al). 2000;20:495-501 (Panel discussion).

H

Hamas RS. The comparative dimensions of round and anatomical saline-filled breast implants. 2000;20:281-90.
Hamas RS. Refinement of the brow lift technique that does not raise the hairline. 2000;20:318-20.
Hamra ST (*see* Nahai et al). 2000;20:47-52 (Panel discussion).
Handel N, Hayden BB, Jervis WH, Maxwell PG. Revisions in breast augmentation. 2000;20:141-8 (Panel discussion).
Hayden BB (*see* Handel et al). 2000;20:141-8 (Panel discussion).
Heath LL (*see* Quirke et al). 2000;20:465-70.
Hester TR Jr, Grover S. Avoiding complications of transblepharoplasty lower-lid and midface rejuvenation. 2000;20:61-8.
Hoefflin SM (*see* Fuente del Campo et al). 2000;20:495-501 (Panel discussion).
Hosn W (*see* Connell and Hosn). 2000;20:12-16.
Hughes CE III. Body contouring of the suprapubic region. 2000;20:411-12.
Hunstad JP (*see* Lucas et al). 2000;20:403-9 (Panel discussion).

I

Isse NG (*see* Nahai et al). 2000;20:47-52 (Panel discussion).

J

Jerina KL (*see* Brandon et al). 2000;20:122-32.
Jervis WH (*see* Handel et al). 2000;20:141-8 (Panel discussion).
Jewell ML. The patient's right to self-determination: complexities of informed consent. 2000;20:133-4 (Editorial).

K

Karnes J, Salisbury M, Schaeferle M III, Beckham P, Ersek RA. Porous high-density polyethylene implants (Medpor) for nasal dorsum augmentation. 2000;20:26-30.
Kawamoto HK. Osseous genioplasty. 2000;20:509-16.
Klatsky SA. *ASJ* online and the future of medical communication. 2000;20:35-6 (Editorial).
Klatsky SA. Forehead plasty for facial rejuvenation. 2000;20:416-27.
Klatsky SA (*see* Galdino et al). 2000;20:387-94.
Klein AW (*see* Miller et al). 2000;20:309-14 (Panel discussion).

L

Lambros VS (*see* Miller et al). 2000;20:309-14 (Panel discussion).
Landau M (*see* Fintsi et al). 2000;20:37-8 (Letter).
Lucas AA, Hunstad JP, Saltz R, Toledo LS. Issues in abdominoplasty. 2000;20:403-9 (Panel discussion).

M

Mafong EA, Ashinoff R. Treatment of hypertrophic scars and keloids: a review. 2000;20:114-21.
Malakzadeh S (*see* Teimourian et al). 2000;20:70-1.
Manders EK (*see* Davison et al). 2000;20:477-81.
Manson PN (*see* Galdino et al). 2000;20:387-94, 482-7.
Matarasso A. Whose patient is this, anyway? 2000;20:304 (Editorial).
Matarasso S (*see* Miller et al). 2000;20:309-14 (Panel discussion).
Maxwell PG (*see* Handel et al). 2000;20:141-8 (Panel discussion).
Mayl N. Revisiting simultaneous flap elevation and skin resurfacing. 2000;20:39-40 (Letter).
Mayl N (*see* Gregory et al). 2000;20:231-7 (Panel discussion).
McDaniel DH. External ultrasound: new clinical applications. 2000;20:525-7.
McKinney P. A graduated approach to rhinoplasty incisions. 2000;20:519-20.
Miller AS III. Use of a double-lumen stacked expander and breast implant. 2000;20:296-300.
Miller TA, Klein AW, Lambros VS, Matarasso S. Soft tissue augmentation. 2000;20:309-14 (Panel discussion).
Mogelvang C. Roman II-X platysmaplasty. 2000;20:368-72.
Mottura A. Circumvertical reduction mastoplasty. 2000;20:199204. Correction 2000;20:306.
Mustoe TA.The mechanical bra for breast enlargement. 2000;20:176-8.

N

Nahai F, Fuente del Campo A, Hamra ST, Isse NG. Approaches to rejuvenation of the upper face. 2000;20:47-52 (Panel discussion).
Nanny LB, Shack RB. Revisiting simultaneous flap elevation and skin resurfacing. 2000;20:39-40 (Letter reply).

P

Perricone NV. Topical 5% alpha lipoic acid cream in the treatment of cutaneous rhytids. 2000;20:218-22.
Persoff MM. Expansion-augmentation of the breast. 2000;20:208-12.
Pinto R (*see* Casagrande et al). 2000;20:361-7.
Pitman GH. Avoiding complications of transblepharoplasty lower-lid and midface rejuvenation. 2000;20:61-8 (Commentary).
Pitman GH. Forehead plasty for facial rejuvenation. 2000;20:416-27 (Commentary).
Pitman GH. Lipoplasty: a case for a low-volume procedure. 2000;20:373-80 (Commentary).
Pitman GH. Osseous genioplasty. 2000;20:509-16 (Commentary).
Pitman GH. A personal technique for facial rejuvenation. 2000;20:321-31 (Commentary).

Pitman GH. Simultaneous breast augmentation and mastopexy. 2000;20:155-65 (Commentary).
Pitman GH The alar sliding graft for correcting alar collapse and expanding the nasal tip. 2000;20:244-52 (Commentary).
Priore R (*see* Davison et al). 2000;20:477-81.

Q

Quirke TE, Rauscher G, Heath LL. Laser treatment of leg and facial telangiectasia. 2000;20:465-70.

R

Ramirez OM, Santamarina R. Spatial orientation of motor innervation to the lower orbicularis oculi muscle. 2000;20:107-13.
Rauscher G (*see* Quirke et al). 2000;20:465-70.
Reed ME. Policies and procedures governing the use of new devices in operating rooms. 2000;20:258-9.
Ristow B. A personal technique for facial rejuvenation. 2000;20:321-31.
Rosenbach A. Coblation: a new technique for skin resurfacing. 2000;20:81-3.

S

Salibian MS, DiGregorio VR. A simple technique to correct "bottoming-out" of the breast after augmentation mammaplasty. 2000;20:301-3 (Case report).
Salisbury M. (*see* Karnes et al). 2000;20:26-30.
Salisbury MA (*see* Ersek et al). 2000;20:381-6.
Saltz R (*see* Casagrande et al). 2000;20:361-7.
Saltz R (*see* de Sousa and Saltz). 2000;20:213-17.
Saltz R (*see* Lucas et al). 2000;20:403-9 (Panel discussion).
Santamarina R (*see* Ramirez and Santamarina). 2000;20:107-13.
Sarwer DB. Health professionals need a new perspective on cosmetic surgery. 2000;20:223-4 (Editorial).
Schaeferle M III (*see* Ersek et al). 2000;20:381-6.
Schaeferle M III (*see* Karnes et al). 2000;20:26-30.
Schendel SA. Three-dimensional surgical simulation in resident training. 2000;20:260-1.
Schmidt GH. A W-plasty approach to the male neck. 2000;20:397 (Letter).
Schneider MS. An aesthetic approach to Poland's syndrome chest reconstruction. 2000;20:503-5.
Schneider-Redden PR (*see* Schnur and Schneider-Redden). 2000;20:41-2 (Letter).
Schnur PL, Schneider-Redden PR. Meta-analysis: a precise definition. 2000;20:41-2 (Letter).
Sclafani AP. Micronized acellular tissue for soft tissue augmentation. 2000;20:341-2.
Seckel BR (*see* Gregory et al). 2000;20:231-7 (Panel discussion).
Shack RB(*see* Nanny and Shack). 2000;20:39-40 (Letter reply).
Shelkowitch-Shiloh I (*see* Fintsi et al). 2000;20:37-8 (Letter).
Sheng FC. Cosmetic blepharoplasty in Orientals. 2000;20:149-51.
Singer R. Is office-based aesthetic surgery still viable? 2000;20:413-14.
Singer R (*see* Yates and Singer). 2000;20:77-8.
Spear SL, Giese SY. Simultaneous breast augmentation and mastopexy. 2000;20:155-65.
Stal S (*see* Tjelmeland and Stal). 2000;20:471-6.
Steely RL (*see* Biggs and Steely). 2000;20:31-4.

T

Tabbal N. The alar sliding graft for correcting alar collapse and expanding the nasal tip. 2000;20:244-52.
Teimourian B, Adham MN, Chiaramonte MF, Malakzadeh S. Rejuvenation of the hand: fat injection combined with TCA peel. 2000;20:70-1.
Tjelmeland K, Stal S. Cartilage graft resorption: an animal model. 2000;20:471-6.
Toledo LS (*see* Lucas et al). 2000;20:403-9 (Panel discussion).
Tom DJ. Postoperative nausea and vomiting. 2000;20:339-40.
Troilius C. Bioplastique and soft-tissue augmentation. 2000;20:135-7 (Letter reply).
Truppman ES. The changing rules for office-based surgery. 2000;20:395-6 (Editorial).

V

Vander Kolk CA (*see* Galdino et al). 2000;20:387-94, 482-7.

W

Welch JD. Office-based surgical practice? It's time to reevaluate! 2000;20:398-9 (Letter).
Wolf CJ (*see* Brandon et al). 2000;20:122-32.
Wrye SW (*see* Dabb and Wrye). 2000;20:53-5.

Y

Yates JA, Singer R. Guidelines for less than 24-hour aftercare recovery units. 2000;20:77-8.
Young VL (*see* Brandon et al). 2000;20:122-32.

Z

Zarem HA. Browpexy: lateral orbicularis muscle fixation as an adjunct to upper blepharoplasty. 2000;20:506-7.

Subject Index*

A

Abdominoplasty
Body contouring of the suprapubic region (Hughes). 2000;20:411-12
Issues in abdominoplasty (Lucas et al). 2000;20:403-9 (Panel discussion)

Adrenal cortex hormones
Treatment of hypertrophic scars and keloids: a review (Mafong and Ashinoff). 2000;20:114-21

Aesthetic Surgery Journal
ASJ online and the future of medical communication (Klatsky). 2000;20:35-6 (Editorial)

Aftercare
Guidelines for less than 24-hour aftercare recovery units (Yates and Singer). 2000;20:77-8

Ambulatory surgery
The changing rules for office-based surgery (Truppman). 2000;20:395-6 (Editorial)
Cost effectiveness of an office-based ambulatory surgery facility (Gold). 2000;20:435-6
Counterpoint: postoperative nausea and vomiting (Friedberg). 2000;20:490-1 (Letter)
Don't despair—prepare (Carraway). 2000;20:488-9 (Editorial)
Florida's attempts to regulate office surgery: economics, politics, and patient safety (Aicher). 2000;20:170-1 (Legalert)
Guidelines for less than 24-hour aftercare recovery units (Yates and Singer). 2000;20:77-8
Is office-based aesthetic surgery still viable? (Singer). 2000;20:413-14
Office-based surgical practice? It's time to reevaluate! (Welch). 2000;20:398-9 (Letter)
Policies and procedures governing the use of new devices in operating rooms (Reed). 2000;20:258-9
Special considerations for the pediatric patient in the office-based ambulatory surgery setting (Glassman). 2000;20:523-4

American Association for Accreditation of Ambulatory Surgery Facilities (AAAASF)
The changing rules for office-based surgery (Truppman). 2000;20:395-6 (Editorial)

Anesthesia
Is office-based aesthetic surgery still viable? (Singer). 2000;20:413-14
Postoperative nausea and vomiting (Tom). 2000;20:339-40
Recognition and treatment of malignant hyperthermia (Binstock). 2000;20:173-5

Antibiotics
Revisions in breast augmentation (Handel et al). 2000;20:141-8 (Panel discussion)

Attitude
Health professionals need a new perspective on cosmetic surgery (Sarwer). 2000;20:223-4 (Editorial)

*January/February, 1-84; March/April, 85-184; May/June, 185-264; July/August, 265-348; September/October, 349-444; November/December, 445-540.

B

Biological dressings
Micronized acellular tissue for soft tissue augmentation (Sclafani). 2000;20:339-40
Revascularization of acellular human dermis (Alloderm) in subcutaneous implantation (Eppley). 2000;20:291-8

Blepharoplasty
Approaches to rejuvenation of the upper face (Nahai et al). 2000;20:47-52 (Panel discussion)
Avoiding complications of transblepharoplasty lower-lid and midface rejuvenation (Hester and Grover). Commentary (Pitman). 2000;20:61-8
Beyond resurfacing: CO_2 lasers for autodermal grafts (Branson). 2000;20:315-16
Browpexy: lateral orbicularis muscle fixation as an adjunct to upper blepharoplasty (Zarem). 2000;20:506-7
Cosmetic blepharoplasty in Orientals (Sheng). 2000;20:149-51
A personal technique for facial rejuvenation (Ristow). Commentary (Pitman). 2000;20:321-31
Spatial orientation of motor innervation to the lower orbicularis oculi muscle (Ramirez and Santamarina). 2000;20:107-13

Body contouring
Aesthetic considerations in secondary procedures for gender reassignment (Davison et al). 2000;20:477-81
Body contouring of the suprapubic region (Hughes). 2000;20:411-12
External ultrasound: new clinical applications (McDaniel). 2000;20:525-7
Microwave-assisted lipoplasty: a new treatment for body contouring (Bucky). 2000;20:435-6

Body image
Serious implications for BDD court case (Aicher). 2000;20:521 (Legalert)

Brow lift
Browpexy: lateral orbicularis muscle fixation as an adjunct to upper blepharoplasty (Zarem). 2000;20:506-7
Forehead plasty for facial rejuvenation (Klatsky). Commentary (Pitman). 2000;20:416-27
A personal technique for facial rejuvenation (Ristow). Commentary (Pitman). 2000;20:321-31
Refinement of the brow lift technique that does not raise the hairline (Hamas). 2000;20:318-20

C

Canthoplasty
Avoiding complications of transblepharoplasty lower-lid and midface rejuvenation (Hester and Grover). Commentary (Pitman). 2000;20:61-8

Cartilage
Cartilage graft resorption: an animal model (Tjelmeland and Stal). 2000;20:471-6
Recycling the distal dorsum as a sheen graft (Gryskiewicz). 2000;20:457-64

Case reports
A simple technique to correct "bottoming-out" of the breast after augmentation mammaplasty (Salibian and DiGregorio). 2000;20:301-3

Child
Special considerations for the pediatric patient in the office-based ambulatory surgery setting (Glassman). 2000;20:523-4
Chin
Osseous genioplasty (Kawamoto). Commentary (Pitman). 2000;20:509-16
Roman II-X platysmaplasty (Mogelvang). 2000;20:368-72
Treatment of the difficult neck (Fuente del Campo et al). 2000;20:495-501 (Panel discussion)
Cicatrix
Reduction mammaplasty and mastopexy with shorter scar and better shape (Graf et al). 2000;20:99-106
Treatment of hypertrophic scars and keloids: a review (Mafong and Ashinoff). 2000;20:114-21
Collagen
Soft tissue augmentation (Miller et al). 2000;20:309-14 (Panel discussion)
Computer simulation
The digital darkroom, part 1: digital technology in plastic surgery (Galdino et al). 2000;20:387-94
The digital darkroom, part 2: digital photography basics (Galdino et al). 2000;20:482-7
Liability issues in aesthetic surgery (Gorney). 2000;20:226-7
Three-dimensional surgical simulation in resident training (Schendel). 2000;20:260-1
Using computer imaging as an informed consent tool (Dabb and Wrye). 2000;20:53-5
Computers
The digital darkroom, part 1: digital technology in plastic surgery (Galdino et al). 2000;20:387-94
Corrections
Circumvertical reduction mastoplasty (Mottura). 2000;20:306
Corticosteroids; *see* Adrenal cortex hormones
Cost-benefit analysis
Cost effectiveness of an office-based ambulatory surgery facility (Gold). 2000;20:435-6

D

Dermabrasion
External ultrasound: new clinical applications (McDaniel). 2000;20:525-7
Microdermabrasion (Beran and Bernard). 2000;20:238-9
Soft tissue augmentation (Miller et al). 2000;20:309-14 (Panel discussion)

E

Editorials
ASJ online and the future of medical communication (Klatsky). 2000;20:35-6
The changing rules for office-based surgery (Truppman). 2000;20:387-94
Don't despair—prepare (Carraway). 2000;20:488-9
Health professionals need a new perspective on cosmetic surgery (Sarwer). 2000;20:223-4
The patient's right to self-determination: complexities of informed consent (Jewell). 2000;20:133-4
Whose patient is this, anyway? (Matarasso). 2000;20:304
Education, medical
Three-dimensional surgical simulation in resident training (Schendel). 2000;20:260-1
Education, medical, continuing
Continuing medical education examination—Facial aesthetic surgery: importance of the digastric muscle in cervical contouring: an update. 2000;20:17-18
Continuing medical education examination—Facial aesthetic surgery: osseous genioplasty. 2000;20:517-8
Importance of the digastric muscle in cervical contouring: an update (Connell and Hosn). 2000;20:12-16
Electrosurgery
Coblation: a new technique for skin resurfacing (Rosenbach). 2000;20:81-3
Eyelids
Browpexy: lateral orbicularis muscle fixation as an adjunct to upper blepharoplasty (Zarem). 2000;20:506-7
Cosmetic blepharoplasty in Orientals (Sheng). 2000;20:149-51

F

Face
Aesthetic considerations in secondary procedures for gender reassignment (Davison et al). 2000;20:477-81
Avoiding complications of transblepharoplasty lower-lid and midface rejuvenation (Hester and Grover). Commentary (Pitman). 2000;20:61-8
Forehead plasty for facial rejuvenation (Klatsky). Commentary (Pitman). 2000;20:416-27
Laser treatment of leg and facial telangiectasia (Quirke et al). 2000;20:465-70
The sternomastoid-mandibular trough: an overlooked aesthetic unit (Bernard and Beran). 2000;20:205-7
Topical 5% alpha lipoic acid cream in the treatment of cutaneous rhytids (Perricone). 2000;20:218-22
Face lift; *see* Rhytidoplasty
Facial nerve
Spatial orientation of motor innervation to the lower orbicularis oculi muscle (Ramirez and Santamarina). 2000;20:107-13
Fees and charges
Managed care incursions: the evolution of discounted cosmetic surgery programs (Aicher). 2000;20:75-6
Fluid therapy
Lipoplasty: a case for a low-volume procedure (Brauman). Commentary (Pitman). 2000;20:373-80
Forehead; *see also* Brow lift
Approaches to rejuvenation of the upper face (Nahai et al). 2000;20:47-52 (Panel discussion)

G

Genioplasty
Continuing medical education examination—Facial aesthetic surgery: osseous genioplasty. 2000;20:517-8
Osseous genioplasty (Kawamoto). Commentary (Pitman). 2000;20:509-16
Graft survival
Cartilage graft resorption: an animal model (Tjelmeland and Stal). 2000;20:471-6
Gynecomastia
Gynecomastia: a clinical review (Ersek et al). 2000;20:381-6

H

Hair transplantation
Current techniques make hair transplantation rewarding to any aesthetic surgical practice (DiBernardo). 2000;20:167-9

Hand
Rejuvenation of the hand: fat injection combined with TCA peel (Teimourian and Adham). 2000;20:70-1

I

Implants, artificial
Adjustable breast implants provide postoperative versatility (Becker). 2000;20:332-4
Bioplastique and soft-tissue augmentation (Ersek) (Letter); (Troilius) (Reply). 2000;20:135-7
The comparative dimensions of round and anatomical saline-filled breast implants (Hamas). 2000;20:281-90
Expansion-augmentation of the breast (Persoff). 2000;20:208-12
Micronized acellular tissue for soft tissue augmentation (Sclafani). 2000;20:339-40
Porous high-density polyethylene implants (Medpor) for nasal dorsum augmentation (Karnes et al). 2000;20:26-30
Revascularization of acellular human dermis (Alloderm) in subcutaneous implantation (Eppley). 2000;20:291-8
Revisions in breast augmentation (Handel et al). 2000;20:141-8 (Panel discussion)
Simultaneous breast augmentation and mastopexy (Spear and Giese). Commentary (Pitman). 2000;20:155-65
Soft tissue augmentation (Miller et al). 2000;20:309-14 (Panel discussion)
Technical update on transumbilical breast augmentation (Dowden). 2000;20:240-2
Ultimate strength properties of explanted and control Silastic II silicone gel-filled breast implant shells (Brandon et al). 2000;20:122-32
Use of a double-lumen stacked expander and breast implant (Miller). 2000;20:298-300

Informed consent
The patient's right to self-determination: complexities of informed consent (Jewell). 2000;20:133-4
Policies and procedures governing the use of new devices in operating rooms (Reed). 2000;20:258-9
Serious implications for BDD court case (Aicher). 2000;20:521 (Legalert)
Using computer imaging as an informed consent tool (Dabb and Wrye). 2000;20:53-5

Internal fixators
Direct needle fixation in endoscopic facial rejuvenation (Casagrande et al). 2000;20:339-40

Internet
ASJ online and the future of medical communication (Klatsky). 2000;20:35-6 (Editorial)
Internet liability (Aicher). 2000;20:433

Internship and residency
Three-dimensional surgical simulation in resident training (Schendel). 2000;20:260-1

K

Keloid
Treatment of hypertrophic scars and keloids: a review (Mafong and Ashinoff). 2000;20:114-21

L

Laser surgery
Beyond resurfacing: CO_2 lasers for autodermal grafts (Branson). 2000;20:315-16
Complications in laser resurfacing (Gregory et al). 2000;20:231-7 (Panel discussion)
Laser treatment of leg and facial telangiectasia (Quirke et al). 2000;20:465-70
Revisiting simultaneous flap elevation and skin resurfacing (Mayl) (Letter); (Nanny and Shack) (Reply). 2000;20:39-40
Treatment of hypertrophic scars and keloids: a review (Mafong and Ashinoff). 2000;20:114-21

Leg veins
Laser treatment of leg and facial telangiectasia (Quirke et al). 2000;20:465-70

Legalert
Florida's attempts to regulate office surgery: economics, politics, and patient safety (Aicher). 2000;20:170-1
Internet liability (Aicher). 2000;20:433
Lawyers successfully sued by doctors for filing frivolous lawsuits (Aicher). 2000;20:337-8
Managed care incursions: the evolution of discounted cosmetic surgery programs (Aicher). 2000;20:75-6
Plaintiff versus doctor: who wins? (Aicher). 2000;20:256-7
Serious implications for BDD court case (Aicher). 2000;20:521

Legislation
The changing rules for office-based surgery (Truppman). 2000;20:395-6 (Editorial)
Don't despair—prepare (Carraway). 2000;20:488-9 (Editorial)
Florida's attempts to regulate office surgery: economics, politics, and patient safety (Aicher). 2000;20:170-1 (Legalert)

Letters
Bioplastique and soft-tissue augmentation (Ersek) (Letter); (Troilius) (Reply). 2000;20:135-7
Breast reduction and inframammary distance (Duffy) (Letter); (Graf) (Reply). 2000;20:305-6
Counterpoint: postoperative nausea and vomiting (Friedberg). 2000;20:490-1
Liability issues in aesthetic surgery (Gorney). 2000;20:226-7
Meta-analysis: a precise definition (Schnur and Schneider-Redden) (Letter); (Daane) (Reply). 2000;20:41-2
Office-based surgical practice? It's time to reevaluate! (Welch). 2000;20:398-9
Phenol-based peels (Fintsi et al) (Letter); (Baker) (Reply). 2000;20:37-8
Revisiting simultaneous flap elevation and skin resurfacing (Mayl) (Letter); (Nanny and Shack) (Reply). 2000;20:39-40
Tumescent dissection for capsulotomy and capsulectomy (Brody). 2000;20:225
A W-plasty approach to the male neck (Schmidt). 2000;20:397-8

Liability, legal
Internet liability (Aicher). 2000;20:433
Lawyers successfully sued by doctors for filing frivolous lawsuits (Aicher). 2000;20:337-8 (Legalert)
Liability issues in aesthetic surgery (Gorney). 2000;20:226-7 (Letter)
Policies and procedures governing the use of new devices in operating rooms (Reed). 2000;20:258-9
Serious implications for BDD court case (Aicher). 2000;20:521 (Legalert)

Lidocaine
Lidocaine toxicity issues in lipoplasty (Fodor). 2000;20:56-8

Lipoplasty: a case for a low-volume procedure (Brauman). Commentary (Pitman). 2000;20:373-80
Lip surgery
Micronized acellular tissue for soft tissue augmentation (Sclafani). 2000;20:341-2
Soft tissue augmentation (Miller et al). 2000;20:309-14 (Panel discussion)
Lipoic acid; *see* Thioctic acid
Lipoplasty
Body contouring of the suprapubic region (Hughes). 2000;20:411-12
External ultrasound: new clinical applications (McDaniel). 2000;20:525-7
Gynecomastia: a clinical review (Ersek et al). 2000;20:381-6
Issues in abdominoplasty (Lucas et al). 2000;20:403-9 (Panel discussion)
Lidocaine toxicity issues in lipoplasty (Fodor). 2000;20:56-8
Lipoplasty: a case for a low-volume procedure (Brauman). Commentary (Pitman). 2000;20:373-80
Microwave-assisted lipoplasty: a new treatment for body contouring (Bucky). 2000;20:435-6
Tumescent dissection for capsulotomy and capsulectomy (Brody). 2000;20:225 (Letter)
Liposuction; *see* Lipoplasty

M

Malignant hyperthermia
Recognition and treatment of malignant hyperthermia (Binstock). 2000;20:173-5
Malpractice
Lawyers successfully sued by doctors for filing frivolous lawsuits (Aicher). 2000;20:337-8 (Legalert)
Plaintiff versus doctor: who wins? (Aicher). 2000;20:256-7 (Legalert)
Mammaplasty
Adjustable breast implants provide postoperative versatility (Becker). 2000;20:332-4
An aesthetic approach to Poland's syndrome chest reconstruction (Schneider). 2000;20:503-5
Breast reduction and inframammary distance (Duffy) (Letter); (Graf) (Reply). 2000;20:305-6
Circumvertical reduction mastoplasty (Mottura). 2000;20:199-204. Correction 2000;20:306
The common principles of effective breast reduction techniques (de Sousa and Saltz). 2000;20:213-17
The comparative dimensions of round and anatomical saline-filled breast implants (Hamas). 2000;20:281-90
Expansion-augmentation of the breast (Persoff). 2000;20:208-11, 208-12
The mechanical bra for breast enlargement (Mustoe). 2000;20:176-8
Reduction mammaplasty and mastopexy with shorter scar and better shape (Graf et al). 2000;20:99-106
Revisions in breast augmentation (Handel et al). 2000;20:141-8 (Panel discussion)
A simple technique to correct "bottoming-out" of the breast after augmentation mammaplasty (Salibian and DiGregorio). 2000;20:301-3 (Case report)
Simultaneous breast augmentation and mastopexy (Spear and Giese). Commentary (Pitman). 2000;20:155-65
Technical update on transumbilical breast augmentation (Dowden). 2000;20:240-2
Ultimate strength properties of explanted and control Silastic II silicone gel-filled breast implant shells (Brandon et al). 2000;20:122-32
Use of a double-lumen stacked expander and breast implant (Miller). 2000;20:298-300
Managed care programs
Managed care incursions: the evolution of discounted cosmetic surgery programs (Aicher). 2000;20:75-6 (Legalert)
Masseter muscle
Recognition and treatment of malignant hyperthermia (Binstock). 2000;20:173-5
Meta-analysis
Meta-analysis: a precise definition (Schnur and Schneider-Redden) (Letter); (Daane) (Reply). 2000;20:41-2
Microwaves
Microwave-assisted lipoplasty: a new treatment for body contouring (Bucky). 2000;20:435-6
Models, biological
Cartilage graft resorption: an animal model (Tjelmeland and Stal). 2000;20:471-6
Revisiting simultaneous flap elevation and skin resurfacing (Mayl) (Letter); (Nanny and Shack) (Reply). 2000;20:39-40

N

Nausea
Counterpoint: postoperative nausea and vomiting (Friedberg). 2000;20:490-1 (Letter)
Postoperative nausea and vomiting (Tom). 2000;20:339-40
Neck
Advantages of W-plasty in the anterior neck (Burkhardt). 2000;20:152-3
Importance of the digastric muscle in cervical contouring: an update (Connell and Hosn). 2000;20:12-16
The male neck and T-Z-plasty: 28 years later (Biggs and Steely). 2000;20:31-4
Roman II-X platysmaplasty (Mogelvang). 2000;20:368-72
Suture suspension technique offers predictable, long-lasting neck rejuvenation (Giampapa). 2000;20:253-5
Treatment of the difficult neck (Fuente del Campo et al). 2000;20:495-501 (Panel discussion)
A W-plasty approach to the male neck (Schmidt). 2000;20:397-8 (Letter)
Needles
Direct needle fixation in endoscopic facial rejuvenation (Casagrande et al). 2000;20:339-40
Neovascularization
Revascularization of acellular human dermis (Alloderm) in subcutaneous implantation (Eppley). 2000;20:291-8
Nose; *see also* Rhinoplasty
Porous high-density polyethylene implants (Medpor) for nasal dorsum augmentation (Karnes et al). 2000;20:26-30

O

Obesity
Issues in abdominoplasty (Lucas et al). 2000;20:403-9 (Panel discussion)
Oculomotor muscles
Spatial orientation of motor innervation to the lower orbicularis oculi muscle (Ramirez and Santamarina). 2000;20:107-13
Office surgery; *see* Ambulatory surgery
Operating rooms
Cost effectiveness of an office-based ambulatory surgery facility (Gold). 2000;20:435-6

Special considerations for the pediatric patient in the office-based ambulatory surgery setting (Glassman). 2000;20:523-4

Operative Strategies

The alar sliding graft for correcting alar collapse and expanding the nasal tip (Tabbal). Commentary (Pitman). 2000;20:244-52

Avoiding complications of transblepharoplasty lower-lid and mid-face rejuvenation (Hester and Grover). Commentary (Pitman). 2000;20:61-8

Forehead plasty for facial rejuvenation (Klatsky). Commentary (Pitman). 2000;20:416-27

Osseous genioplasty (Kawamoto). Commentary (Pitman). 2000;20:509-16

A personal technique for facial rejuvenation (Ristow). Commentary (Pitman). 2000;20:321-31

Simultaneous breast augmentation and mastopexy (Spear and Giese). Commentary (Pitman). 2000;20:155-65

Osteotomy

Osseous genioplasty (Kawamoto). Commentary (Pitman). 2000;20:509-16

P

Panel discussion

Approaches to rejuvenation of the upper face (Nahai et al). 2000;20:47-52

Complications in laser resurfacing (Gregory et al). 2000;20:231-7

Issues in abdominoplasty (Lucas et al). 2000;20:403-9

Revisions in breast augmentation (Handel et al). 2000;20:141-8

Soft tissue augmentation (Miller et al). 2000;20:309-14

Treatment of the difficult neck (Fuente del Campo et al). 2000;20:495-501

Pediatrics

Special considerations for the pediatric patient in the office-based ambulatory surgery setting (Glassman). 2000;20:523-4

Phenols

Phenol-based peels (Fintsi et al) (Letter); (Baker) (Reply) 2000; 20:37-8

Revisiting simultaneous flap elevation and skin resurfacing (Mayl) (Letter); (Nanny and Shack) (Reply). 2000;20:39-40

Photography

The digital darkroom, part 1: digital technology in plastic surgery (Galdino et al). 2000;20:387-94

The digital darkroom, part 2: digital photography basics (Galdino et al). 2000;20:482-7

Plastic surgery

The digital darkroom, part 1: digital technology in plastic surgery (Galdino et al). 2000;20:387-94

A graduated approach to rhinoplasty incisions (McKinney). 2000;20:519-20

Health professionals need a new perspective on cosmetic surgery (Sarwer). 2000;20:223-4 (Editorial)

Is office-based aesthetic surgery still viable? (Singer). 2000;20:413-14

Poland's syndrome

An aesthetic approach to Poland's syndrome chest reconstruction (Schneider). 2000;20:503-5

Policy making

Policies and procedures governing the use of new devices in operating rooms (Reed). 2000;20:258-9

Polyethylene glycols

0.5% polidocanol for treatment of varicose veins (Collini). 2000;20:19-25

Postoperative complications

Avoiding complications of transblepharoplasty lower-lid and mid-face rejuvenation (Hester and Grover). Commentary (Pitman). 2000;20:61-8

Complications in laser resurfacing (Gregory et al). 2000;20:231-7 (Panel discussion)

Counterpoint: postoperative nausea and vomiting (Friedberg). 2000;20:490-1 (Letter)

Issues in abdominoplasty (Lucas et al). 2000;20:403-9 (Panel discussion)

Postoperative nausea and vomiting (Tom). 2000;20:339-40

R

Radiotherapy

Treatment of hypertrophic scars and keloids: a review (Mafong and Ashinoff). 2000;20:114-21

Recovery room

Guidelines for less than 24-hour aftercare recovery units (Yates and Singer). 2000;20:77-8

Referral and consultation

Whose patient is this, anyway? (Matarasso). 2000;20:304 (Editorial)

Rejuvenation

Approaches to rejuvenation of the upper face (Nahai et al). 2000;20:47-52 (Panel discussion)

Avoiding complications of transblepharoplasty lower-lid and mid-face rejuvenation (Hester and Grover). Commentary (Pitman). 2000;20:61-8

Direct needle fixation in endoscopic facial rejuvenation (Casagrande et al). 2000;20:339-40

Forehead plasty for facial rejuvenation (Klatsky). Commentary (Pitman). 2000;20:416-27

A personal technique for facial rejuvenation (Ristow). Commentary (Pitman). 2000;20:321-31

Rejuvenation of the hand: fat injection combined with TCA peel (Teimourian and Adham). 2000;20:70-1

The sternomastoid-mandibular trough: an overlooked aesthetic unit (Bernard and Beran). 2000;20:205-7

Suture suspension technique offers predictable, long-lasting neck rejuvenation (Giampapa). 2000;20:253-5

Treatment of the difficult neck (Fuente del Campo et al). 2000;20:495-501 (Panel discussion)

Rhinoplasty

The alar sliding graft for correcting alar collapse and expanding the nasal tip (Tabbal). Commentary (Pitman). 2000;20: 244-52

A graduated approach to rhinoplasty incisions (McKinney). 2000;20:519-20

Porous high-density polyethylene implants (Medpor) for nasal dorsum augmentation (Karnes et al). 2000;20:26-30

Recycling the distal dorsum as a sheen graft (Gryskiewicz). 2000;20:457-64

Rhytidoplasty

Aesthetic considerations in secondary procedures for gender reassignment (Davison et al). 2000;20:477-81

Approaches to rejuvenation of the upper face (Nahai et al). 2000;20:47-52 (Panel discussion)

Direct needle fixation in endoscopic facial rejuvenation (Casagrande et al). 2000;20:339-40

External ultrasound: new clinical applications (McDaniel). 2000;20:525-7

Importance of the digastric muscle in cervical contouring: an update (Connell and Hosn). 2000;20:12-16

The male neck and T-Z-plasty: 28 years later (Biggs and Steely). 2000;20:31-4
A new and better face lift incision (Baker). 2000;20:428-30
A personal technique for facial rejuvenation (Ristow). Commentary (Pitman). 2000;20:321-31
Phenol-based peels (Fintsi et al) (Letter); (Baker) (Reply). 2000;20:37-8
Refinement of the brow lift technique that does not raise the hairline (Hamas). 2000;20:318-20
Roman II-X platysmaplasty (Mogelvang). 2000;20:368-72
The sternomastoid-mandibular trough: an overlooked aesthetic unit (Bernard and Beran). 2000;20:205-7
A W-plasty approach to the male neck (Schmidt). 2000;20:397-8 (Letter)

Risk factors
The patient's right to self-determination: complexities of informed consent (Jewell). 2000;20:133-4

S

Scars; *see* Cicatrix

Sclerosing solutions
0.5% polidocanol for treatment of varicose veins (Collini). 2000;20:19-25

Self concept
Gynecomastia: a clinical review (Ersek et al). 2000;20:381-6

Silicone
Ultimate strength properties of explanted and control Silastic II silicone gel-filled breast implant shells (Brandon et al). 2000;20:122-32

Skin resurfacing
Beyond resurfacing: CO_2 lasers for autodermal grafts (Branson). 2000;20:315-16
Coblation: a new technique for skin resurfacing (Rosenbach). 2000;20:81-3
Complications in laser resurfacing (Gregory et al). 2000;20:231-7 (Panel discussion)
Microdermabrasion (Beran and Bernard). 2000;20:238-9
Phenol-based peels (Fintsi et al) (Letter); (Baker) (Reply). 2000;20:37-8
Rejuvenation of the hand: fat injection combined with TCA peel (Teimourian and Adham). 2000;20:70-1
Revisiting simultaneous flap elevation and skin resurfacing (Mayl) (Letter); (Nanny and Shack) (Reply). 2000;20:39-40
Topical 5% alpha lipoic acid cream in the treatment of cutaneous rhytids (Perricone). 2000;20:218-22

Spasm
Recognition and treatment of malignant hyperthermia (Binstock). 2000;20:173-5

Sunburn
Topical 5% alpha lipoic acid cream in the treatment of cutaneous rhytids (Perricone). 2000;20:218-22

Surgical flaps
Breast reduction and inframammary distance (Duffy) (Letter); (Graf) (Reply). 2000;20:305-6
A new and better face lift incision (Baker). 2000;20:428-30
Reduction mammaplasty and mastopexy with shorter scar and better shape (Graf et al). 2000;20:99-106
Refinement of the brow lift technique that does not raise the hairline (Hamas). 2000;20:318-20
Revisiting simultaneous flap elevation and skin resurfacing (Mayl) (Letter); (Nanny and Shack) (Reply). 2000;20:39-40

Surgical wound infection
Revisions in breast augmentation (Handel et al). 2000;20:141-8 (Panel discussion)

Suture techniques
Suture suspension technique offers predictable, long-lasting neck rejuvenation (Giampapa). 2000;20:253-5
Treatment of the difficult neck (Fuente del Campo et al). 2000;20:495-501 (Panel discussion)

T

Telangiectasis
Laser treatment of leg and facial telangiectasia (Quirke et al). 2000;20:465-70

Thioctic acid
Topical 5% alpha lipoic acid cream in the treatment of cutaneous rhytids (Perricone). 2000;20:218-22

Thoracic surgery
An aesthetic approach to Poland's syndrome chest reconstruction (Schneider). 2000;20:503-5

Tissue transplantation
The alar sliding graft for correcting alar collapse and expanding the nasal tip (Tabbal). Commentary (Pitman). 2000;20:244-52
Bioplastique and soft-tissue augmentation (Ersek) (Letter); (Troilius) (Reply). 2000;20:135-7
Micronized acellular tissue for soft tissue augmentation (Sclafani). 2000;20:341-2
Recycling the distal dorsum as a sheen graft (Gryskiewicz). 2000;20:457-64
Rejuvenation of the hand: fat injection combined with TCA peel (Teimourian and Adham). 2000;20:70-1
Soft tissue augmentation (Miller et al). 2000;20:309-14 (Panel discussion)

Transplantation, homologous
Beyond resurfacing: CO_2 lasers for autodermal grafts (Branson). 2000;20:315-16

Transsexualism
Aesthetic considerations in secondary procedures for gender reassignment (Davison et al). 2000;20:477-81

Trichloroacetic acid
Rejuvenation of the hand: fat injection combined with TCA peel (Teimourian and Adham). 2000;20:70-1

U

Ultrasound
External ultrasound: new clinical applications (McDaniel). 2000;20:525-7
Microwave-assisted lipoplasty: a new treatment for body contouring (Bucky). 2000;20:435-6

V

Varicose veins
0.5% polidocanol for treatment of varicose veins (Collini). 2000;20:19-25

Vomiting
Counterpoint: postoperative nausea and vomiting (Friedberg). 2000;20:490-1 (Letter)
Postoperative nausea and vomiting (Tom). 2000;20:339-40

X

Xylocaine; *see* Lidocaine